

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	10	("6134069" "5,964,878" "5,898,880" "5,774,292" "5,682,273" "5,574,920" "5,544,138" "5,521,896" "5,473,238" "5,457,365").pn.	USPAT	OR	OFF	2007/01/11 18:12
S48	30711	(timer timeout time-out "time out") near3 (setting\$1 value\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:33
S49	0	S48 near3 ("for" adj (each every))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:34
S50	1	"for each" "for every"	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:34
S51	269	S48 near3 ("each" "every")	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:35
S52	0	S51 with ((calculat\$3 comput\$3 determin\$3) near3 (power energy))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:42
S53	1015	timer with ((comput\$3 calculat\$3 determin\$3) near3 (power energy))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:44
S55	6011	713/3\$2.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:44
S56	21	S54 and S55	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:44
S54	92	(timer near3 (setting\$1 value\$1)) with ((comput\$3 calculat\$3 determin\$3) near3 (power energy))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:45
S57	92	(timer near3 (setting\$1 value\$1)) with ((compute\$1 computing calculat\$3 determin\$3) near3 (power energy))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:45
S58	76	(timer near3 (setting\$1 value\$1)) with ((computes compute computing calculat\$3 determin\$3) near3 (power energy))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:45
S59	10	S58 and S55	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 10:58
S60	26459	timer near3 (value\$1 setting\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:00

EAST Search History

S61	73099	(minimiz\$5 optimiz\$5) near3 (power energy)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:01
S62	1	S60 with S61	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:01
S63	1328	timer near3 range	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:01
S64	1	S63 with ((lowest least) near3 (power energy))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:02
S65	2549	(calculat\$3 determin\$3) near3 (energy power) near5 range	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:03
S66	119797	((calculat\$3 determin\$3) near3 (energy power))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:08
S67	3	S66 with (timer near3 range)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:10
S68	205045	timer timeout time-out	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:10
S69	31725	(timer timeout time-out "time out") near3 (value\$1 setting\$1 range)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:11
S70	624	S69 same (value\$1 setting\$1 range) near3 (energy power)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:34
S71	62	S70 and S55	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:35
S72	39	S70 same (select\$3 choos\$3) near3 (setting value)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:35
S73	2	S72 and S55	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:36
S74	19463	optimiz\$5 near3 (power energy)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:36
S75	1	S74 with S69	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:39

EAST Search History

S76	11	(check\$3 test\$3) near3 (energy power) near7 (timer near3 (value\$1 setting\$1))	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:46
S78	24	S77 same (value\$1 setting\$1) near3 (energy power)	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:50
S79	1	S78 and S55	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 11:50
S77	999	(select\$3 choos\$3) near3 (value setting) near7 timer	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 14:23
S80	2	S77 same S66	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 14:24
S81	240	(each every) near3 (value setting) near3 (timer time-out timeout "time out")	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 14:25
S82	0	S81 with S66	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 14:25
S83	10526	(pick\$3 choos\$3 select\$3) near3 (period interval time) with (energy power).	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 14:40
S84	286	S83 same (period time interval) near3 (timer timeout time-out "time out")	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 14:40
S85	11	S84 and S55	US-PGPUB; USPAT; EPO	OR	OFF	2007/01/12 14:45
L1	427	713/320.ccls.	US-PGPUB	OR	OFF	2007/01/19 17:48
L2	14	"power management timer"	US-PGPUB	OR	OFF	2007/01/19 17:48
L3	3	2.clm.	US-PGPUB	OR	OFF	2007/01/19 17:49
L4	1	2 adj setting\$1	US-PGPUB	OR	OFF	2007/01/19 17:49
L5	7555	(calculat\$3 estimat\$3) near3 energy	US-PGPUB	OR	OFF	2007/01/19 17:50
L6	28	5 near3 setting\$1	US-PGPUB	OR	OFF	2007/01/19 17:50
L7	9	6.clm.	US-PGPUB	OR	OFF	2007/01/19 17:50
L8	0	6 with "for each"	US-PGPUB	OR	OFF	2007/01/19 17:50
L9	1	6 same (task\$1 near3 complet\$3)	US-PGPUB	OR	OFF	2007/01/19 17:53
L10	0	2 with (setting1 near3 range)	US-PGPUB	OR	OFF	2007/01/19 17:54
L11	1	2 with (setting\$1 near3 range)	US-PGPUB	OR	OFF	2007/01/19 17:54
L12	1	11.clm.	US-PGPUB	OR	OFF	2007/01/19 17:54